

Written report of the contracting authority

pursuant to Section 217 of Act No. 134/2016 Coll., on Public Procurement, as amended (hereinafter the "Act")

Public contract awarded in an open above-threshold procedure for supplies, titled „Delivery of ALD system with inductively coupled plasma“

Identification details of the Contracting Authority (name, registered office, ID No.):		VSB – Technical University of Ostrava 17. listopadu 2172/15, 708 00 Ostrava-Poruba 61989100	
Subject of the public contract:		The subject of the public contract is the delivery of an atomic layer deposition (ALD) system, including software and accessories.	
Price agreed in the contract:		700 000,00 EUR excluding VAT	
Identification of participants in the procurement procedure (name; registered office/place of business; ID No.; bid price):			
Oxford Instruments GmbH	Borsigstraße 15 a, 65205 Wiesbaden, Federal Republic of Germany	HRB 21599	700 000,00 EUR excluding VAT
The identification of all participants excluded from the procurement procedure including a statement of grounds for their exclusion:			
No participant was excluded.			
Identification of the contractors with whom the contract has been concluded and identification of the subcontractors, if known to the Contracting Authority:			
Business name:		Oxford Instruments GmbH	
Registered office:		Borsigstraße 15 a, 65205 Wiesbaden, Federal Republic of Germany	
ID No.:		HRB 21599	
Justification of the choice of the most advantageous tender:		Only one tender	
Which part of the public contract is to be performed by subcontractors (if known to the Contracting Authority):		Without subcontractors	
Justification of the use of a negotiated procedure with prior publication or a competitive dialogue procedure, where such procedures was used:			
Not used.			
Justification of the use of a negotiated procedure without prior publication, where such procedure was used:			
Not used.			
Justification of the use of a light regime, where such regime was used:			
Not used.			
Justification of the cancellation of the procurement procedure or of not setting up a dynamic purchasing system where such cases occurred:			
It was not cancelled.			
Justification of the use of means of communication other than electronic means for the submission of tenders, where such other means were used:			
None were used.			
A list of persons who were found to have a conflict of interest and a list of subsequently adopted measures, where a conflict of interest was detected:			
No conflict of interest was found.			
If the Contracting Authority did not divide the above-threshold public contract into lots, provide justification for this procedure, unless provided in the tender documentation:			
It is a single device including accessories.			
justification of laying down the requirement of turnover when proceeding pursuant to Section 78 (3) of the Act, where it has not already indicated it in the procurement documents			
Not used.			